Metal Detector

VMH4-VS60

4th Generation Metal Detector with Exchangeable UXO Search Coil



Searching with Excellence

📋 vallon.de

VMH4 – Metal Detector

4th Generation Metal Detector with Exchangeable UXO Search Coil

The VMH4 with the UXO search coil VS30 was specifically developed for the professional detection of larger metal objects such as submunition and grenades. It is the ideal work tool for humanitarian and military battle area clearance (BAC) in den application area of submunition and UXO detection in soils polluted with metal clutter.

The particular UXO mode can be activated within the internal webserver. This is supported by a reduced sensitivity in order to fade out smaller objects such as metal fragments. In addition a FE mode enables the acoustic differentiation between ferrous and non-ferrous metals. New features such as the integrated web server and GNSS simplify planning and monitoring of large-scale battle area clearance projects. The VMH4 is suited for all soils and shallow waters. This detector is also available with the larger UXO search coil VS60 with a diameter of 60 cm. The combination of mechanical durability, intuitive operation and maximum detection sensitivity leave the user nothing to be desired. Getting started just requires adjusting the length of the telescoping bar. Another special feature of this new detector generation is that rechargeable batteries can also be charged right in the device, either with a 110 – 240 V/50 – 60 Hz AC adapter or on a 10 – 30 V vehicle on-board power supply.

The VMH4 metal detector is also available in a longlife version as VMH4L. It offers an increased battery operating time at a slightly higher weight by using four disposable/ rechargeable batteries

- Optimized ergonomics for daily long-term operation
- Metal detector with UXO search coil VS30 (Ø 30 cm)
- ✓ VALLON UXO mode for Battle Area Clearance (BAC)
- ✓ Flexible application optimization thanks to exchangeable search coils
- Button operated pinpoint function
- ✓ Integrated GNSS for automatic and manual storage of waypoints
- ✓ Infrared LED display for use with night vision devices and vibration alarm
- ✔ Bluetooth[®] and Wi-Fi interface for cable-free access to the integrated web server
- Also available in a longlife version (VMH4L) with increased battery operating time at slightly higher weight



Flexible application

The exchangeable search coils allow an easy and flexible application optimization



^

Search coil VS20, Ø 20 cm Search coil VS25, Ø 25 cm

The VS20 and the VS25 are the standard search coils for the detection of objects with low metal content.

^

UXO search coil VS30, Ø 30 cm

UXO search coil VS60, Ø 60 cm

The UXO search coils are suitable for finding submunitions, UXO and larger metal objects. Basically, the larger the diameter of the search coil, the greater the maximum detection depth for large objects. For the detection of smaller objects UXO search coils are therefore of limited use only.

~

~

Stick probe VSP4

The extremely thin stick probe is particularly suited for searching for metal parts in areas that are difficult to access (e. g. dense vegetation or cavities between rocks).

Wireless communication

Bluetooth[®] and Wi-Fi interface to integrated web server for device settings and updates





- modern browser based user interface for simple operation – from smartphones to desktop computers
- maximum security through password protection
- management and download of saved GNSS waypoints as raw data (Raw) or for viewing in Google Earth (KML)
- firmware update for updating the detector in just a few steps

FEATURES

VMH4-VS30 – Data Sheet

Technical Data and Features

TECHNICAL DATA

Туре	VMH4-VS30	VMH4L-VS30		Internal rechargeable battery
Sensor	Active search coil UXO search coil VS30: Ø 30 cm (Ø 11.81 in)			Exchangeable search coil
Alarm signal	Visual (LED)/audio/vibration			
Watertight	IP68 (5 m, 1 h at 20 °C) Search coils (additionally 1 m, 8 h at 20 °C)* *Search coils are suitable for longer detection in shallow waters.		*	Bluetooth® interface for wireless data transfer
Dimensions*	Backpack – Standard 53 x 36 x 16.5 cm (20.87 x 14.17 x 6.50 in) Case 56.5 x 46 x 21 cm (22.24 x 18.11 x 8.27 in)		((î• ≠):	Wi-Fi for wireless data transfer Automatic soil compensation for an effectiv false alarm reduction in mineralized soils
	35 x 35 x 2.5 cm (1	earch coil VS30 L3.8 x 13.8 x 0.99 in) <i>nce</i> ±3%	k	Integrated webserver for configuration, updates and data exchange
Ambient conditions	In accordance with MIL-STD-810G (501.5-I,II, 502.5-I,II, 503.5, 506.4, 512.4, 514.6-C-II, 516.6)		S	Integrated GNSS receiver
Ambient temperature	-31°C – + 63°C (-24°F – +145°F)			
Storage temperature	-51°C – +71°C (-60°F – +160°F)			
Weight*	Detector with/without standard battery 2.57 kg (5.67 lbs) / 2.16 kg (4.76 lbs) Basic package – Detector in backpack including standard scope of delivery 3.88 kg (8.55 lbs) Basic package in case 8.38 kg (18.47 lbs) *Tolerance ± 10 %	Detector with/without standard battery 2.7 kg (5.95 lbs) / 2.16 kg (4.76 lbs) Basic package – Detector in backpack including standard scope of delivery 4.01 kg (8.84 lbs) Basic package in case 8.51 kg (18.76 lbs) *Tolerance ± 10 %	_	
Disposable/ rechargeable battery	3 x Mono LR20 1.5 V alkaline battery – Standard 3 x Mono HR20 1.2 V NiMH rechargeable battery	4 x Mono LR20 1.5 V alkaline battery – Standard 4 x Mono HR20 1.2 V NiMH rechargeable battery		
Disposable/rechargeable battery operating time*	Alkaline batteries: About 16 h NiMH rechargeable batteries (10.000 mAh): About 18 h *Ambient temperature of about 20 °C, LR20: Varta Industrial, HR20: NiMH rechargeable batteries.	Alkaline batteries: About 22 h NiMH rechargeable batteries (10,000 mAh): About 25 h *Ambient temperature of about 20 °C, LR20: Varta Industrial, HR20: NiMH rechargeable batteries.		

Subject to changes that serve technical progress.

VMH4-VS60 – Data Sheet

Technical Data and Features

TECHNICAL DATA

Туре	VMH4-VS60	VMH4L-VS60		Internal rechargeable battery
Sensor	Active search coil UXO search coil VS60: Ø 60 cm (Ø 23.62 in)			Exchangeable search coil
Alarm signal	Visual (LED)/audio/vibration			
Watertight	IP68 (5 m, 1 h at 20 °C) Search coils (additionally 1 m, 8 h at 20 °C)* *Search coils are suitable for longer detection in shallow waters.		*	Bluetooth® interface for wireless data transfer Wi-Fi for wireless
Dimensions*	Backpack 53 x 36 x 16.5 cm (20 Ca 56.5 x 46 x 21 cm (22 Bag for UXO se 64 x 64 x 2.5 cm (2	Backpack – Standard 53 x 36 x 16.5 cm (20.87 x 14.17 x 6.50 in) Case 56.5 x 46 x 21 cm (22.24 x 18.11 x 8.27 in) Bag for UXO search coil VS60 64 x 64 x 2.5 cm (25.2 x 25.2 x 0.99 in) <i>*Tolerance</i> ± 3 %		Automatic soil compensation for an effectiv false alarm reduction in mineralized soils Integrated webserver for configuration, updates and data exchange
Ambient conditions	In accordance with MIL-STD-810G (501.5-I,II, 502.5-I,II, 503.5, 506.4, 512.4, 514.6-C-II, 516.6)		GNSS	Integrated GNSS receiver
Ambient temperature	-31°C – + 63°C (-24°F – +145°F)			
Storage temperature	-51°C – +71°C (-60°F – +160°F)		_	
Weight*	Detector with/without standard battery 3.10 kg (6.83 lbs) / 2.69 kg (5.93 lbs) Basic package – Detector in backpack including standard scope of delivery and UXO search coil VS60 in a bag 6.02 kg (13.27 lbs) Basic package in case and UXO search coil VS60 in a bag 10.52 kg (23.19 lbs) <i>*Tolerance ± 10 %</i>	Detector with/without standard battery 3.23 kg (7.12 lbs) / 2.69 kg (5.93 lbs) Basic package – Detector in backpack including standard scope of delivery and UXO search coil VS60 in a bag 6.15 kg (13.56 lbs) Basic package in case and UXO search coil VS60 in a bag 10.65 kg (23.48 lbs) <i>*Tolerance</i> ± 10 %	_	
Disposable/ rechargeable battery	3 x Mono LR20 1.5 V alkaline battery – Standard 3 x Mono HR20 1.2 V NiMH rechargeable battery	4 x Mono LR20 1.5 V alkaline battery – Standard 4 x Mono HR20 1.2 V NiMH rechargeable battery	_	
Disposable/rechargeable battery operating time*	Alkaline batteries: About 16 h NiMH rechargeable batteries (10.000 mAh): About 18 h *Ambient temperature of about 20 °C, LR20: Varta Industrial, HR20: NiMH rechargeable batteries.	Alkaline batteries: About 22 h NiMH rechargeable batteries (10,000 mAh): About 25 h *Ambient temperature of about 20 °C, LR20: Varta Industrial, HR20: NiMH rechargeable batteries.	_	

FEATURES

VMH4-VS30, olive – Scope of delivery

Basic package | VMH4-VS30 (Item No. 2005010060)








UXO search coil VS30, Ø 30 cm, olive Item No. 2904090200







Backpack VMH4, olive





Adjustment plate for brake screw Item No. 2805010000



Alkaline battery 1.5 V Mono LR20, 3 ea. Item No. 5910001006S3

	V VALLON
-	
•	

Operation manual VMH4 Item No. 8905010270



Field manual VMH4

Item No. 8905010280

=

Packing sketch VMH4

Item No. 8905010290


Also available in a longlife version as VMH4L-VS30 (Item No. 2005010080)

It offers an increased battery operating time at a slightly higher weight by using four disposable/rechargeable batteries.



VMH4-VS30, sand – Scope of delivery

Basic package | VMH4-VS30 (Item No. 2005010060SND)




Also available in a longlife version as VMH4L-VS30 (Item No. 2005010080SND)

It offers an increased battery operating time at a slightly higher weight by using four disposable/rechargeable batteries.



VMH4-VS60, olive - Scope of delivery

Basic package | VMH4-VS60 (Item No. 2005010070)




Also available in a longlife version as VMH4L-VS60 (Item No. 2005010090)

It offers an increased battery operating time at a slightly higher weight by using four disposable/rechargeable batteries.



VMH4-VS60, sand – Scope of delivery

Basic package | VMH4-VS60 (Item No. 2005010070SND)



Also available in a longlife version as (Item No. 2005010090SND)

It offers an increased battery operating time at a slightly higher weight by using four disposable/rechargeable batteries.



Accessories

Metal Detector VMH4



Case VMH4, olive Item No. 2905010190



Search coil VS20, Ø 20 cm, olive Item No. 2904090010



Search coil VS25, Ø 25 cm, olive Item No. 2904090025



UXO search coil VS30, Ø 30 cm Item No. 2904090200



Bag UXO search coil VS30, olive Item No. 8904090890



UXO search coil VS60, Ø 60 cm, olive Item No. 2904090210



Bag UXO search coil VS60, olive Item No. 8904091330



Koffer VMH4, sand Item No. 2905010190SND



Search coil VS20, Ø 20 cm, sand Item No. 2904090025SND



Search coil VS25, Ø 25 cm, sand Item No. 2904090025SND



UXO search coil VS30, Ø 30 cm Item No.. 2904090200SND



Bag UXO search coil VS30, sand Item No. 8904090890SND



UXO search coil VS60, Ø 60 cm, sand Item No. 2904090210SND



Bag UXO search coil large, sand Item No. 8702360002SND



Stick probe VSP4 Item No. 2904090230

Accessories

Metal Detector VMH4



Headphone single-sided VMF4/VMH4/VMC4 Item No. 2904090480



External battery charger 100-240V/50-60Hz, 12V Item No. 2909990847



Headphone single-sided with cover for the second ear VMF4/VMH4/VMC4 Item No. 2904090450



Alkaline battery 1.5 V Mono LR20 Item No. 5910001006



On-ear headphone single-sided VMF4/VMH4/VMC4 Item No. 2904090090



Rechargable battery NiMH 1,2 V Mono HR20/10.000 mAh Item No. 5920001006



Data cable VMF4/VMH4/VMC4 Item No. 5110307076



Charging cable VMF4/VMH4/VMC4 Item No. 2504090071



Power supply adapter 100-240V including travel adapter AUS/UK/US Item No. 2905001067

VALLON – A strong Partner

Experience is irreplaceable

As a family-run business from Eningen in Germany we became a global player within the field of explosive ordnance detection and the assessment of contaminated sites. All our activities focus on providing our customers with the best product for the respective application.

GUIDANCE

From the initial contact to the selection of the optimal detector system and to the point of the professional start of operation – VALLON accompanies the complete process and supports you in a competent and professional manner.

DETECTORS

Our product portfolio includes efficient solutions for detecting mines, improvised explosive devices (IEDs) and unexploded ordnance (UXO) – for the use on land, underwater and in boreholes.

SOFTWARE

With the EVA4mobile[®] and the EVA4ALL[®] VALLON offers powerful software for data acquisition, evaluation and documentation. The firmware of VALLONs fourth generation of metal detectors is subject to continuous further development and can be adapted to satisfy specific customer requirements.

TRAINING

In order to optimally prepare the user for their daily work VALLON offers custom-tailored training. The training courses can take place upon agreement on site or directly at VALLON in Eningen, Germany.







THE PATH TO BECOMING A GLOBAL PLAYER

Since 2016, VALLON has impressed customers with improved generations of its innovative developments. The new benefits include lower weight and greater compactness for easier transport and simpler firmware upgrades that now enable customer-specific application optimization.

Learn more under www.vallon.de/en/history



Vallon GmbH

Arbachtalstraße 10 72800 Eningen, Germany Phone +49 7121 9855-0 info@vallon.de www.vallon.de

